

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

January 2021 Monthly Monitoring Report

Published Date - Tuesday, 16 February 2021

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

Contents

Contents.....	2
1. Introduction.....	3
2. Monitoring Points (EPA Identification number).....	3
3. Monitoring Results.....	4
3.1 Monitoring Point 1	4
3.2 Monitoring point 2	5
3.3 Monitoring point 3	6
3.4 Monitoring point 4	7
3.5 Monitoring point 5	7
3.6 Monitoring Point 6.....	8



1. Introduction

This monthly monitoring report relates to the operation of Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650. The results stated in this report are the latest results received for the substance monitored. In the case of quarterly reported results the previous quarter's result will be shown until it is superseded.

2. Monitoring Points (EPA Identification number)

EPA Identification Number	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to Air	Discharge to Air	CX section sanitary air emissions from stack
2	Discharge to Air	Discharge to Air	Process gases and sanitary air emissions from stack
3	Discharge to Air	Discharge to Air	Refining kettle burners emissions from stack
4	Discharge to Air	Discharge to Air	Steam boiler emissions from stack
5	Discharge to Air	Discharge to Air	Sodium sulphate drying emissions from stack
6	Discharge to Air	Discharge to Air	Hygiene Air emissions from stack (in Licence but has not yet been built)



3. Monitoring Results

3.1 Monitoring Point 1

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/02/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	5	4.5
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	0.5	0.024
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	1	0.038

Comment:

No Point 1 samples taken last month, previous results compliant.



3.2 Monitoring point 2

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/02/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	5	2.4
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	0.5	0.12
Sulfuric acid mist and sulfur trioxide (as SO ₃)	TM-3	milligrams per cubic metre	Quarterly	N/A	25/11/2020	01/11/2020-31/01/2021	5	1.3
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	1	0.14
Dioxins & Furans	TM-18	nanograms per cubic metre	Yearly	N/A	20/08/2020	01/05/2020-30/04/2021	0.1	0.0037

Comment:

No Point 2 samples taken last month, previous results compliant.



EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/02/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result			
								Max	Min	Mean	Median
Sulphur dioxide	CEM-2	milligrams per cubic metre	Continuous	1 hour	01/02/2021	01/01/2021-31/01/2021	400	249.0	1.1	30.32	21.61

Comment:

Mean, median, minimum and maximum results for continuous monitoring of sulphur dioxide are taken from 744 measured results for the month out of a possible 744.

3.3 Monitoring point 3

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/02/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	28

Comment:

No Point 3 samples taken last month, previous results compliant.



3.4 Monitoring point 4

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/02/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	89

Comment:

No Point 4 samples taken last month, previous results compliant.

3.5 Monitoring point 5

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/02/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Yearly	N/A	24/06/2020	5	4.1

Comment:

No Point 5 samples taken last month, previous results compliant.



3.6 Monitoring Point 6

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/02/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	5	N/A
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	1	N/A
Lead	TM-12	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	0.5	N/A

Comment:

Point 6 conditions have been added to licence but the emission point has not yet been built, hence Results are N/A. As per condition E2 of 12878, Special frequency 1 means one round of post commissioning monitoring and annual thereafter.

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

February 2021 Monthly Monitoring Report

Published Date - Friday, 12 March 2021

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

Contents

Contents.....	2
1. Introduction.....	3
2. Monitoring Points (EPA Identification number).....	3
3. Monitoring Results.....	4
3.1 Monitoring Point 1	4
3.2 Monitoring point 2	5
3.3 Monitoring point 3	6
3.4 Monitoring point 4	7
3.5 Monitoring point 5	7
3.6 Monitoring Point 6.....	8



1. Introduction

This monthly monitoring report relates to the operation of Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650. The results stated in this report are the latest results received for the substance monitored. In the case of quarterly reported results the previous quarter's result will be shown until it is superseded.

2. Monitoring Points (EPA Identification number)

EPA Identification Number	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to Air	Discharge to Air	CX section sanitary air emissions from stack
2	Discharge to Air	Discharge to Air	Process gases and sanitary air emissions from stack
3	Discharge to Air	Discharge to Air	Refining kettle burners emissions from stack
4	Discharge to Air	Discharge to Air	Steam boiler emissions from stack
5	Discharge to Air	Discharge to Air	Sodium sulphate drying emissions from stack
6	Discharge to Air	Discharge to Air	Hygiene Air emissions from stack (in Licence but has not yet been built)



3. Monitoring Results

3.1 Monitoring Point 1

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 12/03/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	5	4.5
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	0.5	0.024
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	1	0.038

Comment:

No Point 1 samples taken last month, previous results compliant.



3.2 Monitoring point 2

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 12/03/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	5	2.4
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	0.5	0.12
Sulfuric acid mist and sulfur trioxide (as SO3)	TM-3	milligrams per cubic metre	Quarterly	N/A	25/11/2020	01/11/2020-31/01/2021	5	1.3
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	1	0.14
Dioxins & Furans	TM-18	nanograms per cubic metre	Yearly	N/A	20/08/2020	01/05/2020-30/04/2021	0.1	0.0037

Comment:

No Point 2 samples taken last month, previous results compliant.



EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 12/03/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result			
								Max	Min	Mean	Median
Sulphur dioxide	CEM-2	milligrams per cubic metre	Continuous	1 hour	01/03/2021	01/02/2021-28/02/2021	400	242.9	1.0	28.5	21.6

Comment:

Mean, median, minimum and maximum results for continuous monitoring of sulphur dioxide are taken from 672 measured results for the month out of a possible 672.

3.3 Monitoring point 3

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 12/03/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	28

Comment:

No Point 3 samples taken last month, previous results compliant.



3.4 Monitoring point 4

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 12/03/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	89

Comment:

No Point 4 samples taken last month, previous results compliant.

3.5 Monitoring point 5

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 12/03/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Yearly	N/A	24/06/2020	5	4.1

Comment:

No Point 5 samples taken last month, previous results compliant.



3.6 Monitoring Point 6

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 12/03/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	5	N/A
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	1	N/A
Lead	TM-12	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	0.5	N/A

Comment:

Point 6 conditions have been added to licence but the emission point has not yet been built, hence Results are N/A. As per condition E2 of 12878, Special frequency 1 means one round of post commissioning monitoring and annual thereafter.

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

March 2021 Monthly Monitoring Report

Published Date - Tuesday, 13 April 2021

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

Contents

Contents.....	2
1. Introduction.....	3
2. Monitoring Points (EPA Identification number).....	3
3. Monitoring Results.....	4
3.1 Monitoring Point 1	4
3.2 Monitoring point 2	5
3.3 Monitoring point 3	6
3.4 Monitoring point 4	7
3.5 Monitoring point 5	7
3.6 Monitoring Point 6.....	8



1. Introduction

This monthly monitoring report relates to the operation of Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650. The results stated in this report are the latest results received for the substance monitored. In the case of quarterly reported results the previous quarter's result will be shown until it is superseded.

2. Monitoring Points (EPA Identification number)

EPA Identification Number	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to Air	Discharge to Air	CX section sanitary air emissions from stack
2	Discharge to Air	Discharge to Air	Process gases and sanitary air emissions from stack
3	Discharge to Air	Discharge to Air	Refining kettle burners emissions from stack
4	Discharge to Air	Discharge to Air	Steam boiler emissions from stack
5	Discharge to Air	Discharge to Air	Sodium sulphate drying emissions from stack
6	Discharge to Air	Discharge to Air	Hygiene Air emissions from stack (in Licence but has not yet been built)



3. Monitoring Results

3.1 Monitoring Point 1

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 13/04/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	5	4.5
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	0.5	0.024
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	1	0.038

Comment:

Point 1 samples taken last month, awaiting results, previous results compliant.



3.2 Monitoring point 2

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 13/04/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	5	2.4
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	0.5	0.12
Sulfuric acid mist and sulfur trioxide (as SO3)	TM-3	milligrams per cubic metre	Quarterly	N/A	25/11/2020	01/11/2020-31/01/2021	5	1.3
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	24/11/2020	01/11/2020-31/01/2021	1	0.14
Dioxins & Furans	TM-18	nanograms per cubic metre	Yearly	N/A	20/08/2020	01/05/2020-30/04/2021	0.1	0.0037

Comment:

Point 2 samples taken last month, awaiting results, previous results compliant.



EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 13/04/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result			
								Max	Min	Mean	Median
Sulphur dioxide	CEM-2	milligrams per cubic metre	Continuous	1 hour	01/03/2021	01/02/2021-28/02/2021	400	204.9	6.6	34.1	24.8

Comment:

Mean, median, minimum and maximum results for continuous monitoring of sulphur dioxide are taken from 669 measured results for the month out of a possible 744.

3.3 Monitoring point 3

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 13/04/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	28

Comment:

No Point 3 samples taken last month, previous results compliant.



3.4 Monitoring point 4

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 13/04/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	89

Comment:

No Point 4 samples taken last month, previous results compliant.

3.5 Monitoring point 5

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 13/04/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Yearly	N/A	24/06/2020	5	4.1

Comment:

No Point 5 samples taken last month, previous results compliant.



3.6 Monitoring Point 6

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 13/04/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	5	N/A
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	1	N/A
Lead	TM-12	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	0.5	N/A

Comment:

Point 6 conditions have been added to licence but the emission point has not yet been built, hence Results are N/A. As per condition E2 of 12878, Special frequency 1 means one round of post commissioning monitoring and annual thereafter.

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

April 2021 Monthly Monitoring Report

Published Date - Thursday, 6 May 2021

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

Contents

Contents.....	2
1. Introduction.....	3
2. Monitoring Points (EPA Identification number).....	3
3. Monitoring Results.....	4
3.1 Monitoring Point 1	4
3.2 Monitoring point 2	5
3.3 Monitoring point 3	6
3.4 Monitoring point 4	7
3.5 Monitoring point 5	7
3.6 Monitoring Point 6.....	8



1. Introduction

This monthly monitoring report relates to the operation of Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650. The results stated in this report are the latest results received for the substance monitored. In the case of quarterly reported results the previous quarter's result will be shown until it is superseded.

2. Monitoring Points (EPA Identification number)

EPA Identification Number	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to Air	Discharge to Air	CX section sanitary air emissions from stack
2	Discharge to Air	Discharge to Air	Process gases and sanitary air emissions from stack
3	Discharge to Air	Discharge to Air	Refining kettle burners emissions from stack
4	Discharge to Air	Discharge to Air	Steam boiler emissions from stack
5	Discharge to Air	Discharge to Air	Sodium sulphate drying emissions from stack
6	Discharge to Air	Discharge to Air	Hygiene Air emissions from stack (in Licence but has not yet been built)



3. Monitoring Results

3.1 Monitoring Point 1

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 6/05/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	5	<2
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	0.5	0.043
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	1	0.06

Comment:

Point 1 samples taken last month, results compliant.



3.2 Monitoring point 2

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 6/05/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	5	<1
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	0.5	0.23
Sulfuric acid mist and sulfur trioxide (as SO3)	TM-3	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	5	2.5
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	1	0.25
Dioxins & Furans	TM-18	nanograms per cubic metre	Yearly	N/A	20/08/2020	01/05/2021-30/04/2021	0.1	0.0037

Comment:

Point 2 samples taken last month, results compliant.



EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 6/05/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result			
								Max	Min	Mean	Median
Sulphur dioxide	CEM-2	milligrams per cubic metre	Continuous	1 hour	01/05/2021	01/04/2021-30/04/2021	400	255.8	1.1	38.7	28.2

Comment:

Mean, median, minimum and maximum results for continuous monitoring of sulphur dioxide are taken from 720 measured results for the month out of a possible 720.

3.3 Monitoring point 3

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 6/05/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	28

Comment:

No Point 3 samples taken last month, previous results compliant.



3.4 Monitoring point 4

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 6/05/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	89

Comment:

No Point 4 samples taken last month, previous results compliant.

3.5 Monitoring point 5

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 6/05/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Yearly	N/A	24/06/2020	5	4.1

Comment:

No Point 5 samples taken last month, previous results compliant.



3.6 Monitoring Point 6

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 6/05/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	5	N/A
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	1	N/A
Lead	TM-12	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	0.5	N/A

Comment:

Point 6 conditions have been added to licence but the emission point has not yet been built, hence Results are N/A. As per condition E2 of 12878, Special frequency 1 means one round of post commissioning monitoring and annual thereafter.

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

May 2021 Monthly Monitoring Report

Published Date - Friday, 4 June 2021

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

Contents

Contents.....	2
1. Introduction.....	3
2. Monitoring Points (EPA Identification number).....	3
3. Monitoring Results.....	4
3.1 Monitoring Point 1	4
3.2 Monitoring point 2	5
3.3 Monitoring point 3	6
3.4 Monitoring point 4	7
3.5 Monitoring point 5	7
3.6 Monitoring Point 6.....	8



1. Introduction

This monthly monitoring report relates to the operation of Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650. The results stated in this report are the latest results received for the substance monitored. In the case of quarterly reported results the previous quarter's result will be shown until it is superseded.

2. Monitoring Points (EPA Identification number)

EPA Identification Number	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to Air	Discharge to Air	CX section sanitary air emissions from stack
2	Discharge to Air	Discharge to Air	Process gases and sanitary air emissions from stack
3	Discharge to Air	Discharge to Air	Refining kettle burners emissions from stack
4	Discharge to Air	Discharge to Air	Steam boiler emissions from stack
5	Discharge to Air	Discharge to Air	Sodium sulphate drying emissions from stack
6	Discharge to Air	Discharge to Air	Hygiene Air emissions from stack (in Licence but has not yet been built)



3. Monitoring Results

3.1 Monitoring Point 1

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 4/06/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	5	<2
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	0.5	0.043
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	1	0.06

Comment:

No Point 1 samples taken last month, previous results compliant.



3.2 Monitoring point 2

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 4/06/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	5	<1
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	0.5	0.23
Sulfuric acid mist and sulfur trioxide (as SO ₃)	TM-3	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	5	2.5
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	1	0.25
Dioxins & Furans	TM-18	nanograms per cubic metre	Yearly	N/A	20/08/2020	01/05/2021-30/04/2021	0.1	0.0037

Comment:

No Point 2 samples taken last month, previous results compliant.



EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 4/06/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result			
								Max	Min	Mean	Median
Sulphur dioxide	CEM-2	milligrams per cubic metre	Continuous	1 hour	01/06/2021	01/05/2021-31/05/2021	400	226.3	7.6	41.0	28.7

Comment:

Mean, median, minimum and maximum results for continuous monitoring of sulphur dioxide are taken from 744 measured results for the month out of a possible 744.

3.3 Monitoring point 3

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 4/06/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	28

Comment:

No Point 3 samples taken last month, previous results compliant.



3.4 Monitoring point 4

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 4/06/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	89

Comment:

No Point 4 samples taken last month, previous results compliant.

3.5 Monitoring point 5

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 4/06/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Yearly	N/A	24/06/2020	5	4.1

Comment:

No Point 5 samples taken last month, previous results compliant.



3.6 Monitoring Point 6

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 4/06/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	5	N/A
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	1	N/A
Lead	TM-12	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	0.5	N/A

Comment:

Point 6 conditions have been added to licence but the emission point has not yet been built, hence Results are N/A. As per condition E2 of 12878, Special frequency 1 means one round of post commissioning monitoring and annual thereafter.

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

June 2021 Monthly Monitoring Report

Published Date - Tuesday, 10 August 2021

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

Contents

Contents.....	2
1. Introduction.....	3
2. Monitoring Points (EPA Identification number).....	3
3. Monitoring Results.....	4
3.1 Monitoring Point 1	4
3.2 Monitoring point 2	5
3.3 Monitoring point 3	6
3.4 Monitoring point 4	7
3.5 Monitoring point 5	7
3.6 Monitoring Point 6.....	8



1. Introduction

This monthly monitoring report relates to the operation of Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650. The results stated in this report are the latest results received for the substance monitored. In the case of quarterly reported results the previous quarter's result will be shown until it is superseded.

2. Monitoring Points (EPA Identification number)

EPA Identification Number	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to Air	Discharge to Air	CX section sanitary air emissions from stack
2	Discharge to Air	Discharge to Air	Process gases and sanitary air emissions from stack
3	Discharge to Air	Discharge to Air	Refining kettle burners emissions from stack
4	Discharge to Air	Discharge to Air	Steam boiler emissions from stack
5	Discharge to Air	Discharge to Air	Sodium sulphate drying emissions from stack
6	Discharge to Air	Discharge to Air	Hygiene Air emissions from stack (in Licence but has not yet been built)



3. Monitoring Results

3.1 Monitoring Point 1

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	5	<2
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	0.5	0.043
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	1	0.06

Comment:

Point 1 samples taken last month, awaiting results, previous results compliant.



3.2 Monitoring point 2

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	5	<1
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	0.5	0.23
Sulfuric acid mist and sulfur trioxide (as SO ₃)	TM-3	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	5	2.5
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/02/2021-30/04/2021	1	0.25
Dioxins & Furans	TM-18	nanograms per cubic metre	Yearly	N/A	20/08/2020	01/05/2021-30/04/2021	0.1	0.0037

Comment:

Point 2 samples taken last month, awaiting results, previous results compliant.



EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result			
								Max	Min	Mean	Median
Sulphur dioxide	CEM-2	milligrams per cubic metre	Continuous	1 hour	01/07/2021	01/06/2021-30/06/2021	400	246.4	11.8	52.8	38.2

Comment:

Mean, median, minimum and maximum results for continuous monitoring of sulphur dioxide are taken from 720 measured results for the month out of a possible 720.

3.3 Monitoring point 3

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	28

Comment:

No Point 3 samples taken last month, previous results compliant.



3.4 Monitoring point 4

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	89

Comment:

No Point 4 samples taken last month, previous results compliant.

3.5 Monitoring point 5

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Yearly	N/A	24/06/2020	5	4.1

Comment:

Point 5 samples taken last month, awaiting results, previous results compliant.



3.6 Monitoring Point 6

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	5	N/A
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	1	N/A
Lead	TM-12	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	0.5	N/A

Comment:

Point 6 conditions have been added to licence but the emission point has not yet been built, hence Results are N/A. As per condition E2 of 12878, Special frequency 1 means one round of post commissioning monitoring and annual thereafter.

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

July 2021 Monthly Monitoring Report

Published Date - Tuesday, 10 August 2021

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

Contents

Contents.....	2
1. Introduction.....	3
2. Monitoring Points (EPA Identification number).....	3
3. Monitoring Results.....	4
3.1 Monitoring Point 1	4
3.2 Monitoring point 2	5
3.3 Monitoring point 3	6
3.4 Monitoring point 4	7
3.5 Monitoring point 5	7
3.6 Monitoring Point 6.....	8



1. Introduction

This monthly monitoring report relates to the operation of Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650. The results stated in this report are the latest results received for the substance monitored. In the case of quarterly reported results the previous quarter's result will be shown until it is superseded.

2. Monitoring Points (EPA Identification number)

EPA Identification Number	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to Air	Discharge to Air	CX section sanitary air emissions from stack
2	Discharge to Air	Discharge to Air	Process gases and sanitary air emissions from stack
3	Discharge to Air	Discharge to Air	Refining kettle burners emissions from stack
4	Discharge to Air	Discharge to Air	Steam boiler emissions from stack
5	Discharge to Air	Discharge to Air	Sodium sulphate drying emissions from stack
6	Discharge to Air	Discharge to Air	Hygiene Air emissions from stack (in Licence but has not yet been built)



3. Monitoring Results

3.1 Monitoring Point 1

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	03/06/2021	01/05/2021-31/07/2021	5	4.8
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	03/06/2021	01/05/2021-31/07/2021	0.5	0.2
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	03/06/2021	01/05/2021-31/07/2021	1	0.35

Comment:

Point 1 samples taken last month, results compliant.



3.2 Monitoring point 2

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	22/07/2021	01/05/2021-31/07/2021	5	<1
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	22/07/2021	01/05/2021-31/07/2021	0.5	0.23
Sulfuric acid mist and sulfur trioxide (as SO ₃)	TM-3	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/05/2021-31/07/2021	5	2.3
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/05/2021-31/07/2021	1	0.82
Dioxins & Furans	TM-18	nanograms per cubic metre	Yearly	N/A	20/08/2020	01/05/2021-30/04/2021	0.1	0.0037

Comment:

Point 2 samples taken last month, results compliant.



EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result			
								Max	Min	Mean	Median
Sulphur dioxide	CEM-2	milligrams per cubic metre	Continuous	1 hour	01/08/2021	01/07/2021-31/07/2021	400	309.2	7.0	45.0	32.6

Comment:

Mean, median, minimum and maximum results for continuous monitoring of sulphur dioxide are taken from 744 measured results for the month out of a possible 744.

3.3 Monitoring point 3

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	28

Comment:

No Point 3 samples taken last month, previous results compliant.



3.4 Monitoring point 4

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	89

Comment:

No Point 4 samples taken last month, previous results compliant.

3.5 Monitoring point 5

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Yearly	N/A	03/06/2020	5	4.2

Comment:

Point 5 samples taken last month, results compliant.



3.6 Monitoring Point 6

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 10/08/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	5	N/A
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	1	N/A
Lead	TM-12	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	0.5	N/A

Comment:

Point 6 conditions have been added to licence but the emission point has not yet been built, hence Results are N/A. As per condition E2 of 12878, Special frequency 1 means one round of post commissioning monitoring and annual thereafter.

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

August 2021 Monthly Monitoring Report

Published Date - Tuesday, 7 September 2021

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

Contents

Contents.....	2
1. Introduction.....	3
2. Monitoring Points (EPA Identification number).....	3
3. Monitoring Results.....	4
3.1 Monitoring Point 1	4
3.2 Monitoring point 2	5
3.3 Monitoring point 3	6
3.4 Monitoring point 4	7
3.5 Monitoring point 5	7
3.6 Monitoring Point 6.....	8



1. Introduction

This monthly monitoring report relates to the operation of Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650. The results stated in this report are the latest results received for the substance monitored. In the case of quarterly reported results the previous quarter's result will be shown until it is superseded.

2. Monitoring Points (EPA Identification number)

EPA Identification Number	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to Air	Discharge to Air	CX section sanitary air emissions from stack
2	Discharge to Air	Discharge to Air	Process gases and sanitary air emissions from stack
3	Discharge to Air	Discharge to Air	Refining kettle burners emissions from stack
4	Discharge to Air	Discharge to Air	Steam boiler emissions from stack
5	Discharge to Air	Discharge to Air	Sodium sulphate drying emissions from stack
6	Discharge to Air	Discharge to Air	Hygiene Air emissions from stack (in Licence but has not yet been built)



3. Monitoring Results

3.1 Monitoring Point 1

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 7/09/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	03/06/2021	01/05/2021-31/07/2021	5	4.8
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	03/06/2021	01/05/2021-31/07/2021	0.5	0.2
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	03/06/2021	01/05/2021-31/07/2021	1	0.35

Comment:

No Point 1 samples taken last month, previous results compliant.



3.2 Monitoring point 2

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 7/09/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	22/07/2021	01/05/2021-31/07/2021	5	<1
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	22/07/2021	01/05/2021-31/07/2021	0.5	0.23
Sulfuric acid mist and sulfur trioxide (as SO ₃)	TM-3	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/05/2021-31/07/2021	5	2.3
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	17/03/2021	01/05/2021-31/07/2021	1	0.82
Dioxins & Furans	TM-18	nanograms per cubic metre	Yearly	N/A	20/08/2020	01/05/2021-30/04/2021	0.1	0.0037

Comment:

No Point 2 samples taken last month, previous results compliant.



EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 7/09/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result			
								Max	Min	Mean	Median
Sulphur dioxide	CEM-2	milligrams per cubic metre	Continuous	1 hour	01/09/2021	01/08/2021-31/08/2021	400	222.3	9.4	42.2	32.8

Comment:

Mean, median, minimum and maximum results for continuous monitoring of sulphur dioxide are taken from 744 measured results for the month out of a possible 744.

3.3 Monitoring point 3

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 7/09/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	28

Comment:

No Point 3 samples taken last month, previous results compliant.



3.4 Monitoring point 4

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 7/09/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	89

Comment:

No Point 4 samples taken last month, previous results compliant.

3.5 Monitoring point 5

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 7/09/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Yearly	N/A	03/06/2020	5	4.2

Comment:

No Point 5 samples taken last month, previous results compliant.



3.6 Monitoring Point 6

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 7/09/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	5	N/A
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	1	N/A
Lead	TM-12	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	0.5	N/A

Comment:

Point 6 conditions have been added to licence but the emission point has not yet been built, hence Results are N/A. As per condition E2 of 12878, Special frequency 1 means one round of post commissioning monitoring and annual thereafter.

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

September 2021 Monthly Monitoring Report

Published Date - Wednesday, 20 October 2021

September 2021 Monthly Monitoring Report

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

Contents

Contents.....	2
1. Introduction.....	3
2. Monitoring Points (EPA Identification number).....	3
3. Monitoring Results.....	4
3.1 Monitoring Point 1	4
3.2 Monitoring point 2	5
3.3 Monitoring point 3	6
3.4 Monitoring point 4	7
3.5 Monitoring point 5	7
3.6 Monitoring Point 6.....	8



1. Introduction

This monthly monitoring report relates to the operation of Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650. The results stated in this report are the latest results received for the substance monitored. In the case of quarterly reported results the previous quarter's result will be shown until it is superseded.

2. Monitoring Points (EPA Identification number)

EPA Identification Number	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to Air	Discharge to Air	CX section sanitary air emissions from stack
2	Discharge to Air	Discharge to Air	Process gases and sanitary air emissions from stack
3	Discharge to Air	Discharge to Air	Refining kettle burners emissions from stack
4	Discharge to Air	Discharge to Air	Steam boiler emissions from stack
5	Discharge to Air	Discharge to Air	Sodium sulphate drying emissions from stack
6	Discharge to Air	Discharge to Air	Hygiene Air emissions from stack (in Licence but has not yet been built)



3. Monitoring Results

Monitoring Point 1

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 20/10/21

3.1

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	5	<2
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	0.5	0.2
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	1	0.22

Comment:

Point 1 samples taken last month, results compliant.



Monitoring point 2

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 20/10/21

3.2

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	5	<1
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	0.5	0.2
Sulfuric acid mist and sulfur trioxide (as SO ₃)	TM-3	milligrams per cubic metre	Quarterly	N/A	08/09/2021	01/08/2021-31/10/2021	5	0.41
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	1	0.22
Dioxins & Furans	TM-18	nanograms per cubic metre	Yearly	N/A	08/09/2021	01/05/2021-30/04/2022	0.1	0.0053

Comment:

Point 2 samples taken last month, results compliant.



EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 20/10/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result			
								Max	Min	Mean	Median
Sulphur dioxide	CEM-2	milligrams per cubic metre	Continuous	1 hour	01/09/2021	01/08/2021-31/08/2021	400	222.3	9.4	42.2	32.8

Comment:

Mean, median, minimum and maximum results for continuous monitoring of sulphur dioxide are taken from 744 measured results for the month out of a possible 744.

3.3 **Monitoring point 3**

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 20/10/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	28

Comment:

No Point 3 samples taken last month, previous results compliant.



Monitoring point 4

EPL: 12878
 Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650
 Published: - 20/10/21

3.4	Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
	Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	09/09/2020	250	93

Comment:
 Point 4 samples taken last month, results compliant.

Monitoring point 5

3.5 EPL: 12878
 Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650
 Published: - 20/10/21

3.5	Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
	Solid Particles	TM-15	milligrams per cubic metre	Yearly	N/A	03/06/2020	5	4.2

Comment:
 No Point 5 samples taken last month, previous results compliant.



Monitoring Point 6

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 20/10/21

3.6

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	5	N/A
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	1	N/A
Lead	TM-12	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	0.5	N/A

Comment:

Point 6 conditions have been added to licence but the emission point has not yet been built, hence Results are N/A. As per condition E2 of 12878, Special frequency 1 means one round of post commissioning monitoring and annual thereafter.

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

October 2021 Monthly Monitoring Report

Published Date - Thursday, 16 December 2021

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

Contents

Contents.....	2
1. Introduction.....	3
2. Monitoring Points (EPA Identification number).....	3
3. Monitoring Results.....	4
3.1 Monitoring Point 1	4
3.2 Monitoring point 2	5
3.3 Monitoring point 3	6
3.4 Monitoring point 4	7
3.5 Monitoring point 5	7
3.6 Monitoring Point 6.....	8



1. Introduction

This monthly monitoring report relates to the operation of Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650. The results stated in this report are the latest results received for the substance monitored. In the case of quarterly reported results the previous quarter's result will be shown until it is superseded.

2. Monitoring Points (EPA Identification number)

EPA Identification Number	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to Air	Discharge to Air	CX section sanitary air emissions from stack
2	Discharge to Air	Discharge to Air	Process gases and sanitary air emissions from stack
3	Discharge to Air	Discharge to Air	Refining kettle burners emissions from stack
4	Discharge to Air	Discharge to Air	Steam boiler emissions from stack
5	Discharge to Air	Discharge to Air	Sodium sulphate drying emissions from stack
6	Discharge to Air	Discharge to Air	Hygiene Air emissions from stack (in Licence but has not yet been built)



3. Monitoring Results

3.1 Monitoring Point 1

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	5	<2
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	0.5	0.2
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	1	0.22

Comment:

No Point 1 samples taken last month, previous results compliant.



3.2 Monitoring point 2

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	5	<1
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	0.5	0.2
Sulfuric acid mist and sulfur trioxide (as SO ₃)	TM-3	milligrams per cubic metre	Quarterly	N/A	08/09/2021	01/08/2021-31/10/2021	5	0.41
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	1	0.22
Dioxins & Furans	TM-18	nanograms per cubic metre	Yearly	N/A	08/09/2021	01/05/2021-30/04/2022	0.1	0.0053

Comment:

No Point 2 samples taken last month, previous results compliant.



EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result			
								Max	Min	Mean	Median
Sulphur dioxide	CEM-2	milligrams per cubic metre	Continuous	1 hour	01/09/2021	01/08/2021-31/08/2021	400	222.3	9.4	42.2	32.8

Comment:

Mean, median, minimum and maximum results for continuous monitoring of sulphur dioxide are taken from 744 measured results for the month out of a possible 744.

3.3 Monitoring point 3

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	28

Comment:

No Point 3 samples taken last month, previous results compliant.



3.4 Monitoring point 4

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	09/09/2020	250	93

Comment:

No Point 4 samples taken last month, previous results compliant.

3.5 Monitoring point 5

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Yearly	N/A	03/06/2020	5	4.2

Comment:

No Point 5 samples taken last month, previous results compliant.



3.6 Monitoring Point 6

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	5	N/A
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	1	N/A
Lead	TM-12	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	0.5	N/A

Comment:

Point 6 conditions have been added to licence but the emission point has not yet been built, hence Results are N/A. As per condition E2 of 12878, Special frequency 1 means one round of post commissioning monitoring and annual thereafter.

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

November 2021 Monthly Monitoring Report

Published Date - Thursday, 16 December 2021

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

Contents

Contents.....	2
1. Introduction.....	3
2. Monitoring Points (EPA Identification number).....	3
3. Monitoring Results.....	4
3.1 Monitoring Point 1	4
3.2 Monitoring point 2	5
3.3 Monitoring point 3	6
3.4 Monitoring point 4	7
3.5 Monitoring point 5	7
3.6 Monitoring Point 6.....	8



1. Introduction

This monthly monitoring report relates to the operation of Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650. The results stated in this report are the latest results received for the substance monitored. In the case of quarterly reported results the previous quarter's result will be shown until it is superseded.

2. Monitoring Points (EPA Identification number)

EPA Identification Number	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to Air	Discharge to Air	CX section sanitary air emissions from stack
2	Discharge to Air	Discharge to Air	Process gases and sanitary air emissions from stack
3	Discharge to Air	Discharge to Air	Refining kettle burners emissions from stack
4	Discharge to Air	Discharge to Air	Steam boiler emissions from stack
5	Discharge to Air	Discharge to Air	Sodium sulphate drying emissions from stack
6	Discharge to Air	Discharge to Air	Hygiene Air emissions from stack (in Licence but has not yet been built)



3. Monitoring Results

3.1 Monitoring Point 1

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	5	<2
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	0.5	0.2
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	1	0.22

Comment:

No Point 1 samples taken last month, previous results compliant.



3.2 Monitoring point 2

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	5	<1
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	0.5	0.2
Sulfuric acid mist and sulfur trioxide (as SO ₃)	TM-3	milligrams per cubic metre	Quarterly	N/A	08/09/2021	01/08/2021-31/10/2021	5	0.41
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/08/2021-31/10/2021	1	0.22
Dioxins & Furans	TM-18	nanograms per cubic metre	Yearly	N/A	08/09/2021	01/05/2021-30/04/2022	0.1	0.0053

Comment:

No Point 2 samples taken last month, previous results compliant.



EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result			
								Max	Min	Mean	Median
Sulphur dioxide	CEM-2	milligrams per cubic metre	Continuous	1 hour	01/12/2021	01/11/2021-31/11/2021	400	216.6	3.1	36.4	25.5

Comment:

Mean, median, minimum and maximum results for continuous monitoring of sulphur dioxide are taken from 720 measured results for the month out of a possible 720.

3.3 Monitoring point 3

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	24/06/2020	250	28

Comment:

No Point 3 samples taken last month, previous results compliant.



3.4 Monitoring point 4

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	09/09/2020	250	93

Comment:

No Point 4 samples taken last month, previous results compliant.

3.5 Monitoring point 5

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Yearly	N/A	03/06/2020	5	4.2

Comment:

No Point 5 samples taken last month, previous results compliant.



3.6 Monitoring Point 6

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 16/12/21

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	5	N/A
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	1	N/A
Lead	TM-12	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	0.5	N/A

Comment:

Point 6 conditions have been added to licence but the emission point has not yet been built, hence Results are N/A. As per condition E2 of 12878, Special frequency 1 means one round of post commissioning monitoring and annual thereafter.

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

December 2021 Monthly Monitoring Report

Published Date - Friday, 24 June 2022

212 East Bomen Road
Bomen NSW 2650
T: 02 6937 1900



Postage Address:
PO Box 6266
WAGGA WAGGA NSW 2650
ABN 50 114 135 821

Contents

Contents.....	2
1. Introduction.....	3
2. Monitoring Points (EPA Identification number).....	3
3. Monitoring Results.....	4
3.1 Monitoring Point 1	4
3.2 Monitoring point 2	5
3.3 Monitoring point 3	6
3.4 Monitoring point 4	7
3.5 Monitoring point 5	7
3.6 Monitoring Point 6.....	8



1. Introduction

This monthly monitoring report relates to the operation of Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650. The results stated in this report are the latest results received for the substance monitored. In the case of quarterly reported results the previous quarter's result will be shown until it is superseded.

2. Monitoring Points (EPA Identification number)

EPA Identification Number	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to Air	Discharge to Air	CX section sanitary air emissions from stack
2	Discharge to Air	Discharge to Air	Process gases and sanitary air emissions from stack
3	Discharge to Air	Discharge to Air	Refining kettle burners emissions from stack
4	Discharge to Air	Discharge to Air	Steam boiler emissions from stack
5	Discharge to Air	Discharge to Air	Sodium sulphate drying emissions from stack
6	Discharge to Air	Discharge to Air	Hygiene Air emissions from stack (in Licence but has not yet been built)



3. Monitoring Results

3.1 Monitoring Point 1

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 24/06/22

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	22/12/2021	01/11/2021-31/01/2022	5	<1
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	22/12/2021	01/11/2021-31/01/2022	0.5	0.1
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	22/12/2021	01/11/2021-31/01/2022	1	0.086

Comment:

Point 1 samples taken this month, results compliant.



3.2 Monitoring point 2

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 24/06/22

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/11/2021-31/01/2022	5	2.4
Lead	TM-12	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/11/2021-31/01/2022	0.5	0.84
Sulfuric acid mist and sulfur trioxide (as SO ₃)	TM-3	milligrams per cubic metre	Quarterly	N/A	08/09/2021	01/11/2021-31/01/2022	5	1.9
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Quarterly	N/A	09/09/2021	01/11/2021-31/01/2022	1	0.94
Dioxins & Furans	TM-18	nanograms per cubic metre	Yearly	N/A	08/09/2021	01/05/2021-30/04/2022	0.1	0.0053

Comment:

Point 2 samples this month, lead exceeded licence limit, other results compliant.



EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 24/06/22

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result			
								Max	Min	Mean	Median
Sulphur dioxide	CEM-2	milligrams per cubic metre	Continuous	1 hour	01/12/2021	01/12/2021-31/12/2021	400	216.9	2.6	27.7	19.2

Comment:

Mean, median, minimum and maximum results for continuous monitoring of sulphur dioxide are taken from 720 measured results for the month out of a possible 720.

3.3 Monitoring point 3

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 24/06/22

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	21/12/2021	250	73

Comment:

Point 3 samples taken this month, result compliant.



3.4 Monitoring point 4

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 24/06/22

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Nitrogen dioxide	TM-11	milligrams per cubic metre	Yearly	N/A	09/09/2020	250	93

Comment:

No Point 4 samples taken last month, previous results compliant.

3.5 Monitoring point 5

EPL: 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 24/06/22

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Yearly	N/A	03/06/2020	5	4.2

Comment:

No Point 5 samples taken last month, previous results compliant.



3.6 Monitoring Point 6

EPL 12878

Licensee: Enirgi Power Storage Recycling Pty Ltd., 509 Byrnes Rd, Bomen, New South Wales 2650

Published: - 24/06/22

Substance	Sampling Method	Units of measure	Frequency	Averaging Period (if applicable)	Date obtained	Date Range	100 percent concentration limit	Result
Solid Particles	TM-15	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	5	N/A
Type 1 and Type 2 substances in aggregate	TM-12 TM-13 TM-14	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	1	N/A
Lead	TM-12	milligrams per cubic metre	Special Frequency 1	N/A	N/A	N/A	0.5	N/A

Comment:

Point 6 conditions have been added to licence but the emission point has not yet been built, hence Results are N/A. As per condition E2 of 12878, Special frequency 1 means one round of post commissioning monitoring and annual thereafter.